

THE COLLECTION OF LEPIDOPTERA PRESERVED AT THE "LUCIAN BLAGA"UNIVERSITY- SIBIU (NOTE 2)

STANCA-MOISE Cristina

Abstract. The present paper is a continuation of the systematic list of Lepidoptera species preserved in the Collection of "Lucian Blaga" University of Sibiu. In the year 2000, it was published the Catalogue of this collection but only with partial data. After a new acquisition, the value of the collection increased. The present paper presents the updated systematic list of Suprafamily Noctuoidea - with Subfamily Pygaerinae (36 species), Herminiinae (11 species), Acontiinae (10 species), Psaphidininae (5 species), Stiriinae (44 species), Hadeninae (58 species), Noctuinae (37 species), and Family Lymantriidae (9 species). The total number of 211 species and 471 samples are presented with the data and place of collection, the number of samples and their sex. Their name was updated and the endangered degree is mentioned at all species according to "Verzeichnis der Schmetterlinge Româniens" (RÁKOSY et al., 2003).

Keywords: Lepidoptera, collection, species.

Rezumat. Lepidoptere din colecția Universității „Lucian Blaga” din Sibiu (nota 2). Prezenta lucrare este o continuare a listei sistematice a speciilor de lepidoptere existente în colecția Universității „Lucian Blaga” din Sibiu. În anul 2000, a fost publicat catalogul acestei colectii, cu date parțiale. După achiziția ulterioară a altor specii și introducerea lor în colecție a crescut valoarea prin completarea sa. Lucrarea de față prezintă lista sistematică actualizată a Suprafam. Noctuoidea (cu Subfam. Pygaerinae (36 de specii), Herminiinae (11 specii), Acontiinae (10 specii), Psaphidininae (5 specii), Stiriinae (44 de specii), Hadeninae (58 de specii), Noctuinae (37 de specii), și Fam. Lymantriidae (9 specii) reprezentând în total un număr de 211 specii și 471 exemplare. Pe lângă datele și locul de colectare, sunt menționate numărul de indivizi și sexul acestora, cu actualizarea denumirilor, indicarea zonelor unde au fost semnalate în România și a gradului de pericolitate conform Catalogului lepidopterelor României (RÁKOSY et al., 2003).

Cuvinte cheie: lepidoptere, colecție, specii.

INTRODUCTION

Following the International Convention held in Rio de Janeiro, Brazil in 1992, where Romania joined, biodiversity conservation, plant and animal species, became a priority. Since 1999, the research has covered fauna inventory of Romania, subject to aggression or other anthropogenic factors, and the measures that must be taken to preserve them (DAVIDESCU, 2002).

Lepidoptera collection of "Lucian Blaga" University has a special documentary and scientific value. Publishing papers offer a data base for specialists for further research. The species available in the collection come mostly from Romania being collected from lower altitudes of 6 m in Dobrogea (Canaraua Fetii) (RAKOSY & SZEKELY, 1996), the Danube Delta (Periprava, Maliuc) up to 2100 m in the mountains (Vrancea Mountains, Retezat Mountains, Bucegi and Fagaras Mountains). The collection was gathered between 1979 and 2000. This is important as a starting point for further study of the previous situation and evolution in time of Lepidoptera fauna. There is one exception, a species collected from another country, Germany, Daining: 1♀ *Papessa biren* Goeze, 1781, July 17, 1981.

MATERIALS AND METHOD

The material that is the subject of this study was collected by lepidopterologist Levente Szekely between 1972-2000 from Romania (SZÉKELY, 1994, 1995, 1996, 1999a, b, 2003a, b, 2006, 2007, 2008, 2010, 2011).

In this paper, the oldest data of collection is 1979 1♀ de *Cerapteryx graminis* Linnaeus, 1758, a specimen collected from Roșu Lake (August 2, 1979), 1300 m alt.

The material was collected by means of entomological net for diurnal species and with a light source Noctuidae. On the labels, there are noted (day-month-year-sex-of the collected specimens, the geographical zone and altitude). The material was arranged in entomological boxes in systematic order in the Lepidoptera Collection of "Lucian Blaga" University of Sibiu.

In the present study, there are enumerated 211 species from the total 572 species of the collection and the other part of 146 species will be presented in a future paper.

RESULTS AND DISCUSSIONS

In the present paper, there were inventoried 211 species of the Lepidoptera Collection of "Lucian Blaga" University of Sibiu. From Noctuidae Superfamily (with Subfamily Pygaerinae (36 species), Herminiinae (11 species), Acontiinae (10 species), Psaphidininae (5 species), Stiriinae (44 species), Hadeninae (58 species), Noctuinae (37 species)), there are listed in total 202, while 9 species belong to the Family Lymantriidae.

In terms of the degree of endangerment, of the 211 species presented in the paper, 59 species fall into different categories: 44 species NT (Near threatened), 10 species VU (Vulnerable), 3 species EN (Endangered) and 2 species DD (Data Deficient) and the difference of 152 species are not in danger.

The following abbreviations were used: **CR** - Critically endangered, it is estimated that the survival of these species in the next 10-20 years is unlikely if the factors that have caused this situation are not eliminated; after the analysis of the quantitative cost it was determined a decay rate of the population with at least 50% in the last 10 years. **EN** - Endangered, endangered taxa when there is a critical stage of threat, but shows high risk or the extinction threat is critical in the immediate future; it is estimated a probability of about 20% extinction in the next 20 years, **VU**- Vulnerable, a taxon is vulnerable when it is not in the critical threat or endangered, but have a high risk of extinction or critical threat in the near future, **NT**- Near threatened, includes taxa not included in CR, EN or VU, **DD** - Data deficient, but in case the degree of threat increases, it may be included in one or other of the three categories. This category largely replaces RL variant category IUCN 2000, (RÁKOSY, 2002, 2003, 2005).

LEPIDOPTERA (INSECTA: LEPIDOPTERA), IN THE COLLECTION OF "LUCIAN BLAGA" UNIVERSITY OF SIBIU

No.	No Ro*	No. K.&R.**	Taxon	Place and date of collection	Area of Romania	Degree of endangerment
FAMILY NOTODONTIDAE (4429 RO, K. & R. 8686)						
Subfam. PYGAERINAE (4435 RO, K. & R. 8694)						
213	4437 Ro	K. & R. 8698	<i>Closteria curtula</i> Linnaeus, 1758	2♂♂, Zizin (Bv.), May 10, 1990, Canaraua Fetii (DB), May 26, 1997, 150 m alt.		
214	4438 Ro	K. & R. 8699	<i>Closteria pigra</i> Linnaeus, 1758	1♂, Frumușica (Botoșani), June 24, 1989	BT, CR, TR, MM, OT, MT, MD; DB	
215	4439 Ro	K. & R. 8700	<i>Closteria anachoreta</i> Denis & Schiffermüller, 1775	1♂, Săcele (Bv.), May 10, 1992, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
216	4440 Ro	K. & R. 8701	<i>Closteria anastomosis</i> Linnaeus, 1758	2♂♂, Maliuc (D.D.), July 18, 1997; August 2, 1997, 6 m alt. 1♀, Brănești (Buc.), August 2, 1997	BT, CR, TR, MM, OT, MD; DB	
217	4444 Ro	K. & R. 8706	<i>Cerura erminea</i> Esper, 1783	1♂, Frumușica (Botoșani), June 24, 1989	BT, CR, TR, MM, OT, MT, MD; DB	NT
218	4445 Ro	K. & R. 8708	<i>Furcula furcula forficula</i> Fischer v. Waldheim, 1820	2♂♂, Maliuc (D.D.), July 18, 1997, 6 m alt., Periprava (D.D.), September 1, 1997 1♀, Săcele (Bv.), June 26, 1992	BT, CR, TR, MM, OT, MT, MD; DB	
219	4448 Ro	K. & R. 8710	<i>Furcula bifida bifida</i> (Brahm, 1787)	1♀, Zizin (Bv.), June 9, 1981	BT, CR, TR, MM, OT, MT, MD; DB	
220	4450 Ro	K. & R. 8714	<i>Dicranura ulmi</i> Denis & Schiffermüller, 1775	1♂, Canaraua Fetii (DB), May 3- 4, 1998, 150 m alt. 2♀♀, Rediu (Botoșani), May 5, 1998	BT, CR, TR, OT, MT, MD; DB	NT
221	4452 Ro	K. & R. 8716	<i>Notodonta dromedarius</i> Linnaeus, 1758	2♂♂, Timișul de Jos (Bv.), July 5-15, 1998, 700 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
222	4454 Ro	K. & R. 8718	<i>Notodonta tritophus tritophul</i> Denis & Schiffermüller, 1775	1♂, Canaraua Fetii (DB), July 28, 1990, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
223	4455 Ro	K. & R. 8719	<i>Notodonta ziczac</i> Linnaeus, 1758	3♂♂, Roșu Lake, July 4, 1981; C.A.Rosetti (D.D.), July 12, 1991 and Periprava (D.D.), September 1, 1997, 6 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
224	4457 Ro	K. & R. 8721	<i>Drymonia dodonea</i> Denis & Schiffermüller, 1775	2♂♂, Zizin (Bv.), June 7, 1990, Lepșa (Vrancea), July 1-2, 1997, 800 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
225	4459 Ro	K. & R. 8723	<i>Drymonia melongana</i> Borkhausen, 1790	1♂, Sângiorgiu (Mureș), July 11, 1985	BT, CR, TR, MM, OT, MT, MD	
226	4460 Ro	K. & R. 8724	<i>Drymonia querna querna</i> Denis & Schiffermüller, 1775	1♂, Sângiorgiu (Mureș), July 11, 1985	BT, CR, TR, OT, MT, MD; DB	
227	4463 Ro	K. & R. 8727	<i>Pheosia tremula</i> Clerck, 1759	1♂, Canaraua Fetii (DB), 3-May 4, 1998, 150 m alt. 1♀, Periprava (D.D.), September 21, 1996	BT, CR, TR, MM, OT, MT, MD; DB	

228	4466 Ro	K. & R. 8730	<i>Paradrymonia vittata</i> Staudinger, 1892	2♂♂, Canaraua Fetii (DB), June 17, 1998; July 15, 1998, 150 m alt.,	DB	VU
229	4467 Ro	K. & R. 8732	<i>Pterostoma palpina</i> Clerck, 1759	2♂♂, Canaraua Fetii (DB), May 1-2, 1998, 150 m alt., Băneasa (DB), June 13, 1998, 30 m alt. 1♀, C.A. Rosetti (D.D.), July 19, 1987	BT, CR, TR, MM, OT, MT, MD; DB	
230	4470 Ro	K. & R. 8734	<i>Ptilophora plumigera</i> Denis & Schiffermüller, 1775	2♂♂, Canaraua Fetii (DB), October 10-30, 1994, 150 m alt., Timișul de Jos (Bv.), November 22, 1991, 700 m alt. 1♀, Canaraua Fetii (DB), October 24-28, 1995, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
231	4473 Ro	K. & R. 8738	<i>Ptilodon capucina</i> Linnaeus, 1758	1♂, Timișul de Jos (Bv.), June 10-20, 1997, 700 m alt. 1♀, Muntele Roșu, August 1, 1995, 1300 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
232	4475 Ro	K. & R. 8739	<i>Ptilodon cucullina</i> Denis & Schiffermüller, 1775	1♂, Frumușica (Botoșani), July 7, 1989	BT, CR, TR, MM, MT, MD; DB	
233	4479 Ro	K. & R. 8747	<i>Gluphisia crenata</i> Esper, 1785	2♂♂, Săcele (Bv.), July 3, 1996, Tisătei Gorges (Vrancea Mountains), July 2, 1997, 900 m alt.		
234	4481 Ro	K. & R. 8749	<i>Phalera bucephala</i> Linnaeus, 1758	2♂♂, Tisătei Gorges (Vrancea Mountains), July 4, 1998, 900 m alt.; Canaraua Fetii (DB), August 9, 1992, 150 m alt. 1♀, Pasărea Forest (Buc.), August 1, 1997	BT, CR, TR, MM, OT, MT, MD; DB	
235	4483 Ro	K. & R. 8752	<i>Phalera bucephaloides</i> Ochsenheimer, 1810	2♂♂, Canaraua Fetii (DB), July 7, 1992, 150 m alt., Pădurea Mihai Bravu (Buc.), July 12, 1997	BT, CR, TR, OT, MT, MD; DB	NT
236	4485 Ro	K. & R. 8754	<i>Peridea anceps</i> Goeze, 1781	2♂♂, Canaraua Fetii (DB), June 18, 1996, 150 m alt., Frumușica (Botoșani), July 7, 1989	BT, CR, TR, MM, OT, MT, MD; DB	
237	4489 Ro	K. & R. 8758	<i>Stauropus fagi</i> Linnaeus, 1758	2♂♂, Canaraua Fetii (DB), May 2, 1998, 150 m alt., Brănești (Buc.), July 9, 1997	BT, CR, TR, MM, OT, MT, MD; DB	
238	4493 Ro	K. & R. 8762	<i>Spatalia argentina</i> (Denis & Schiffermüller, 1775)	2♂♂, Lepșa (Vrancea), 1-June 2, 1997, 800 m alt., Frumușica (Botoșani), May 3, 1998	BT, CR, TR, MM, OT, MT, MD; DB	
239	4499 Ro	K. & R. 8772	<i>Moma alpium alpium</i> (Osbeck, 1778) (sin. <i>orion</i> Esper, 1787)	1♂, Lepșa-Vrancea, June 27-29, 1997, 800 m alt. 1♀, Racoș (Bv.), June 22, 1997	BT, CR, TR, MM, OT, MT, MD	
240	4501 Ro	K. & R. 8774	<i>Acronicta alni</i> Denis & Schiffermüller, 1775	1♂, Tisătei Gorges (Vrancea), August 3, 1998, 900 m alt. 1♀, Săcele (Bv.), June 20, 1979, 650 m alt.	BT, CR, TR, MM, OT, MT, MD	
241	4503 Ro	K. & R. 8776	<i>Acronicta tridens tridens</i> Denis & Schiffermüller, 1775	1♂, Canaraua Fetii (DB), May 4, 1998, 150 m alt. 1♀, Canaraua Fetii (DB), May 13, 1996, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
242	4504 Ro	K. & R. 8777	<i>Acronicta psi psi</i> Linnaeus, 1758	1♀, Săcele (Bv.), August 17, 1991, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
243	4505 Ro	K. & R. 8778	<i>Acronicta aceris aceris</i> Linnaeus, 1758	1♂, Racoș (Bv.), June 12, 1992	BT, CR, TR, MM, OT, MT, MD; DB	
244	4508 Ro	K. & R. 8781	<i>Acronicta strigosa</i> Denis & Schiffermüller, 1775	1♂, Săcele (Bv.), June 7, 1998, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	NT
245	4507 Ro	K. & R. 8780	<i>Acronicta megacephala</i> Denis & Schiffermüller, 1775	2♂♂, Maliuc (D.D.), July 18, 1997, Săcele (Bv.), May 8, 1990, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
246	4514 Ro	K. & R. 8787	<i>Acronicta rumicis</i> Linnaeus, 1758 (sin. <i>salicis</i> Curtis, 1826)	8♂♂, Hagieni (DB), September 14, 1984; Rediu (Botoșani), July 5, 1986, Periprava (D.D.), August 28 and September 1, 1997, 6 m alt., Canaraua Fetii (DB), June 14, 1998, 150 m alt., Hagieni August 21, 1983, Periprava (D.D.), August 31, 1997, Maliuc (D.D.), July 19, 1997	BT, CR, TR, MM, OT, MT, MD; DB	

247	4516 Ro	K. & R. 8789	<i>Craniophora ligustri ligustri</i> Denis & Schiffermüller, 1775	5♀♀, Sângioriu-Mureş, June 1, 1982 (2 specimens), Canaraua Fetii, May 1-2, 1992, May 2, 1998, 150 m alt., Periprava (D.D.), September 1, 1997, 6 m alt.		
248	4520 Ro	K. & R. 8793	<i>Simyra albovenosa</i> (Goeze, 1781)	1♂, Tișetei Gorges (Vrancea Mountains), July 3, 1998, 900 m alt., July 10, 1999, 800 m alt., Pasărea Forest (Buc.), August 1, 1998	BT, CR, TR, MM, OT, MT, MD; DB	NT
	4526 Ro	K. & R. 8801	<i>Cryphia algae</i> Fabricius, 1775 (sin. <i>degener</i> Denis & Schiffermüller, 1775, <i>calligrapha</i> Borkhausen, 1792 <i>mendacula</i> Hübner, 1813	1♀, Hagieni (DB), September 1, 1984	BT, CR, TR, MM, OT, MT, MD; DB	
249	4532 Ro	K. & R. 8810	<i>Cryphia raptricula</i> Denis & Schiffermüller, 1775 (sin. <i>divisa</i> Esper, 1791)	1♂, Săcele (Bv.), July 21, 1998, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	NT
SUBFAMILY HERMINIINAE (4536 Ro, K. & R. 8829)						
250	4573 Ro	K. & R. 8874	<i>Catocala nupta nupta</i> Linnaeus, 1767	2♂♂, Canaraua Fetii (DB), 1- September 15, 1996, 150 m alt., Pasărea Forest (Buc.), August 7, 1998 1♀, Săcele (Bv.), August 28, 1998, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	NT
251	4574 Ro	K. & R. 8877	<i>Catocala elocata</i> Esper, 1788	1♂, Periprava (D.D.), September 1, 1997, 6 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	NT
252	4576 Ro	K. & R. 8882	<i>Catocala promissa promissa</i> Denis & Schiffermüller, 1775	1♂ și 2♀♀, Comana Forest (Buc.), July 12, 1997	BT, CR, TR, MM, OT, MT, MD; DB	NT
253	4579 Ro	K. & R. 8888	<i>Catocala nymphagoga</i> Esper, 1787	2♂♂, Comana Forest (Buc.), August 12, 1997, Pasărea Forest (Buc.), August 1, 1998 1♀, Comana Forest (Buc.), August 12, 1997	BT, CR, TR, OT, MT, DB	NT
254	4580 Ro	K. & R. 8889	<i>Catocala hymenaea</i> (Denis & Schiffermüller, 1775)	1♂, Periprava (D.D.), July 7, 1996, 6 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	NT
255	4581 Ro	K. & R. 8890	<i>Catocala fulminea fulminea</i> Scopoli, 1763 (sin. <i>paranympha</i> Linnaeus, 1767)	1♂, Frumușica (Botoșani), June 29, 1989 1♀, Săcele (Bv.), July 28, 1998, 650 m alt.	BT, CR, TR, MM, OT, MT, MD	NT
256	4585 Ro	K. & R. 8879	<i>Minucia lunaris lunaris</i> Denis & Schiffermüller, 1775	1♀, Frumușica (Botoșani), May 11, 1989	BT, CR, TR, MM, OT, MT, MD; DB	
257	4591 Ro	K. & R. 8904	<i>Dysgonia algira algira</i> Linnaeus, 1767 (sin. <i>europea</i> Schawerda, 1912)	1♂, Canaraua Fetii (DB), August 7, 1992, 150 m alt.	BT, CR, MM, OT, MT, MD; DB	NT
258	4593 Ro	K. & R. 8909	<i>Prodotis stolidia</i> Fabricius, 1775	1♂, Slavă Forest (DB), May 1, 1993 1♀, Periprava (D.D.), September 1, 1997, 6 m alt.	BT, TR, MM, OT, MT, MD; DB	
259	4615 Ro	K. & R. 8967	<i>Callistege mi mi</i> Clerck, 1759 (sin. <i>mi elzei</i> De Freina, 1976)	1♂, Racoș (Bv.), May 10, 1998	BT, CR, MM, OT, MT, MD; DB	
260	4617 Ro	K. & R. 8969	<i>Euclidia glyphica</i> Linnaeus, 1758	1♂, Băneasa (DB), May 12, 1998 1♀, Pasărea Forest (Buc.), July 31, 1998, 6 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
SUBFAMILY ACONTINAE (4694 Ro, K. & R. 9095)						
261	4736 Ro	K. & R. 9181	<i>Cucullia fraudatrix</i> Eversmann, 1837	1♀, Săcele (Bv.), July 19, 1998, 650 m alt.	BT, CR, TR, MM, MT, MD; DB	NT
262	4737 Ro	K. & R. 9174	<i>Cucullia absinthii</i> Linnaeus, 1761	1♂, Canaraua Fetii (DB), August 8, 1992, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
263	4745 Ro	K. & R. 9199	<i>Cucullia umbratica</i> Linnaeus, 1758	2♂♂, Sângiorz, July 1, 1985, Rediu (Botoșani), August 15, 1988 1♀, Canaraua Fetii (DB), May 31, 1993, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	

264	4752 Ro	K. & R. 9217	<i>Cucullia tanaceti</i> Denis & Schiffermüller, 1775	1♂, Periprava Brașul Chilia (D.D.), July 30, 1997, 6 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	NT
265	4757 Ro	K. & R. 9228	<i>Shargacucullia gozmanyi</i> G. & L. Ronkay, 1992	1♂, Hagieni (DB), May 3, 1986	BT, TR, DB	VU
266	4767 Ro	K. & R. 9240	<i>Calophasia lunula</i> Hufnagel, 1766	1♂, Pasărea Forest (Buc.), July 31, 1998	BT, CR, TR, MM, OT, MT, MD; DB	
267	4769 Ro	K. & R. 9245	<i>Calophasia casta</i> Borkhausen, 1793, nec. Pallas, 1767	1♂, Canaraua Fetii (DB), June 14, 1998, 150 m alt.	BT, CR, MD; DB	VU
268	4770 Ro	K. & R. 9250	<i>Omphalophana antirrhini</i> Hübner, 1808	1♂, Canaraua Fetii (DB), June 14, 1998, 150 m alt.	BT, CR, TR, OT, MD; DB	
269	4772 Ro	K. & R. 9056	<i>Autographa gamma</i> Linnaeus, 1758	6♂♂, Hagieni (DB), August 19, 1983, Timiș (Bv.), May 14, 1992, June 27, 1994, Caraiman (Bucegi Mountains), June 28, 1994, 2100 m alt., Săcele (Bv.), , May 21, 1997, Tărlungeni (Bv.), June 14, 1997, 700 m alt. 2♀♀, Pasărea Forest (Buc.), August 8, 1997, Canaraua Fetii (DB), June 13, 1998, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
270	4775 Ro	K. & R. 9266	<i>Callierges ramosa</i> Esper, 1786	1♂, Săcele (Bv.), July 2, 1996, 650 m alt.	BT, TR, MM, MT, MD	NT
SUBFAMILY PSAPHIDININAE (4784 Ro)						
271	4788 Ro	K. & R. 9320	<i>Astercopussphinx</i> Hufnagel, 1766	1♂, Canaraua Fetii (DB), October 20, 1996, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
272	4798 Ro	K. & R. 9682	<i>Allophyes oxyacanthae</i> Linnaeus, 1758	1♂, Racoș (Bv.), September 28, 1991 1♀, Racoș (Bv.), October 24, 1992	BT, CR, TR, MM, OT, MT, MD; DB	
273	4803 Ro	K. & R. 9307	<i>Amphipyra pyramidea</i> Linnaeus, 1758	1♂, Săcele (Bv.), September 3, 1996, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
274	4805 Ro	K. & R. 9309	<i>Amphipyra perflua</i> Fabricius, 1787	1♂, Bicazului Gorges, August 2, 1996, 1100 m alt.	BT, TR, MM, MD	NT
275	4807 Ro	K. & R. 9311	<i>Amphipyra tragopoginis</i> Clerck, 1759	1♀, Zizin (Bv.), September 25, 1990	BT, CR, TR, MM, OT, MT, MD; DB	
SUBFAMILY STIRIINAE (4814 Ro, K. & R. 9336)						
276	4819 Ro	K. & R. 9343	<i>Aegle kaekeritziana</i> Hübner, 1799	1♂, Canaraua Fetii (DB), June 13, 1998, 150 m alt.	BT, CR, TR, OT, MT, MD; DB	NT
277	4830 Ro	K. & R. 9364	<i>Heliothis viriplaca viriplaca</i> Hufnagel, 1766 (sin. <i>dipsacea</i> Linnaeus, 1758)	1♂, Canaraua Fetii (DB), May 2, 1998, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
278	4831 Ro	K. & R. 9365	<i>Heliothis maritima</i> Graslin, 1855	1♂, Săcele (Bv.), July 21, 1998, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
279	4850 Ro	K. & R. 9396	<i>Elaphria venustula</i> Hübner, 1790	3♂♂, Canaraua Fetii (DB), 1-June 4, 1998; May 4, 1998, June 14, 1998, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
280	4856 Ro	K. & R. 9417	<i>Caradrina morpheus</i> Hufnagel, 1766	1♂, Canaraua Fetii (DB), May 4, 1998, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
281	4862 Ro	K. & R. 9424	<i>Platyperigea kadenii</i> Freyer, 1836	1♂, Canaraua Fetii (DB), September 18, 1993, 150 m alt.	BT, CR, TR, MM, MT, MD; DB	NT
282	4865 Ro	K. & R. 9433	<i>Paradrina clavipalpis</i> Scopoli, 1763 (sin. <i>quadripunctata</i> Fabricius, 1775, <i>cubicularis</i> Denis & Schiffermüller, 1775)	4♂♂, Canaraua Fetii (DB), June 12, 13, 14, 1998, 150 m alt., Hagieni (DB), August 18, 1998	BT, CR, TR, MM, OT, MT, MD; DB	
283	4870 Ro	K. & R. 9449	<i>Hoplodrina alsines</i> Brahm, 1791 (sin. <i>octogenaria</i> Goeze, 1781)	1♂, Tișitei Gorges (Vrancea Mountains), July 3, 1998, 900 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
284	4871 Ro	K. & R. 9450	<i>Hoplodrina blanda</i> Denis & Schiffermüller, 1775 (sin. <i>taraxaci</i> , Hübner, 1813)	3♂♂, Maliuc (D.D.), June 18, 1997, Pasărea Forest (Buc.), August 1, 1997, Șercaia (Vad Forest) Bv., July 27, 2000	BT, CR, TR, MM, OT, MT, MD; DB	
285	4873 Ro	K. & R. 9453	<i>Hoplodrina respersa</i> Deni & Schiffermüller, 1775	1♂, Tișitei Gorges (Vrancea Mountains), August 3, 1998, 900 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	

286	4874 Ro	K. & R. 9454	<i>Hoplodrina ambigua</i> Denis & Schiffermüller, 1775	2♂♂, Băneasa (DB), June 13, 1998, 90 m alt.; Brănești (Buc.), June 20, 1997	BT, CR, TR, MM, OT, MT, MD; DB	
287	4876 Ro	K. & R. 9456	<i>Charanyca trigrammica</i> Hufnagel, 1766 (sin. <i>trilinea</i> Denis & Schiffermüller, 1775, <i>bilinea</i> Hübner, 1803)	1♂, Brănești (Buc.), 31.V.1998 1♀, Canaraua Fetii (DB), 24.V.1997, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
288	4884 Ro	K. & R. 9474	<i>Atheris gluteosa</i> Treitschke, 1835	3♂♂, Pasărea Forest (Buc.), July 22-30, 1997, Pădurea Hagieni (DB), August 17, 18, 2000	BT, CR, TR, MM, OT, MT, MD; DB	NT
289	4888 Ro	K. & R. 9479	<i>Proxenus lepigone</i> Möschler, 1860	2♂♂, Periprava (D.D.), July 9, 1996, 6 m alt. (2 ex.)	BT, TR, MM, MD; DB	NT
290	4890 Ro	K. & R. 9481	<i>Amphyipyra scabriuscula</i> Linnaeus, 1758 (sin. <i>pinastri</i> Linnaeus, 1761)	1♂, Canaraua Fetii (DB), June 14, 1998, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
291	4905 Ro	K. & R. 9501	<i>Trachea atriplicis</i> Linnaeus, 1758	2♂♂, Pasărea Forest (Buc.), 30.V.1998, Brănești (Buc.), August 7, 1998	BT, CR, TR, MM, OT, MT, MD; DB	
292	4907 Ro	K. & R. 9503	<i>Euplexia lucipara</i> Linnaeus, 1758	1♂, Săcele (Bv.), May 27, 1996, 650 m alt. 1♀, Săcele (Bv.), June 27, 1998, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
293	4909 Ro	K. & R. 9505	<i>Phlogophora meticulosa</i> Linnaeus, 1758	1♂, Timișul de Jos, November 10, 1997, 700 m alt. 1♀, Timișul de Jos, 10-November 20, 1997, 700 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
294	4916 Ro	K. & R. 9515	<i>Actinotia polyodon</i> Clerck, 1759 (sin. <i>perspicillaris</i> , Linnaeus, 1761)	2♂♂, Canaraua Fetii (DB), May 1, 1998, 150 m alt.; Brănești (Buc.), May 31, 1998	BT, CR, TR, MM, OT, MT, MD; DB	
295	4919 Ro	K. & R. 9518	<i>Chloantha Boisduval</i> , Rambur & Graslin, 1836	1♂, Canaraua Fetii (DB), May 23, 1997, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
296	4926 Ro	K. & R. 9525	<i>Eucarta virgo</i> Treitschke, 1835	1♂, Băneasa (DB), June 12, 1998, 90 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
297	4928 Ro	K. & R. 9525	<i>Ipimorpha retusa</i> Linnaeus, 1758	1♂, Canaraua Fetii (DB), June 14, 1998, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
298	4929 Ro	K. & R. 9528	<i>Ipimorpha subtusa</i> Denis & Schiffermüller, 1775	2♂♂, Canaraua Fetii (DB), June 13, 14, 1998, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
299	4935 Ro	K. & R. 9537	<i>Parastichtis ypsilon</i> Denis & Schiffermüller, 1775 (sin. <i>fissipuncta</i> Haworth, 1840)	1♂, Băneasa (DB), June 13, 1998, 90 m alt. 1♀, Săcele (Bv.), June 4, 1998, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
300	4940 Ro	K. & R. 9544	<i>Dicycla oo</i> Linnaeus, 1758 (sin. <i>ferruginago</i> Hübner, 1803, <i>renago</i> Haworth, 1909)	1♂, Horia (DB), June 19, 1979	BT, CR, TR, OT, MT, MD; DB	NT
301	4942 Ro	K. & R. 9546	<i>Cosmia diffinis</i> Linnaeus, 1767	1♂, Comana Forest (Buc.), July 12, 1997	BT, CR, TR, MM, OT, MT, MD; DB	NT
302	4944 Ro	K. & R. 9548	<i>Cosmia affinis</i> Linnaeus, 1767	1♂, Brănești (Buc.), May 31, 1998	BT, CR, TR, MM, OT, MT, MD; DB	NT
303	4945 Ro	K. & R. 9549	<i>Cosmia pyralina</i> Denis & Schiffermüller, 1775	1♀, Săcele (Bv.), July 19, 1998, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
304	4946 Ro	K. & R. 9550	<i>Cosmia trapezina</i> Linnaeus, 1767	1♂, Tisitei Gorges (Vrancea Mountains), July 4, 1998, 900 m alt. 1♀, Canaraua Fetii (DB), June 27, 1993, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
305	4948 Ro	K. & R. 9748	<i>Apamea monoglypha</i> Hufnagel, 1766 (sin. <i>polyodon</i> Linnaeus, 1761, nec. Clerck, 1759)	1♂, Săcele (Bv.), November 2, 1993, 650 m alt. 1♀, Jepilor Valley (Bucegi Mountains), June 25, 1994, 1400 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
306	4950 Ro	K. & R. 9752	<i>Apamea lithoxylaea</i> Denis & Schiffermüller, 1775 (sin. <i>muscialis</i> Esper, 1790)	1♂, Zizin (Bv.), July 9, 1981	BT, CR, TR, MM, OT, MT, MD; DB	NT
307	4952 Ro	K. & R. 9755	<i>Apamea crenata</i> Hufnagel, 1766 (sin. <i>rurea</i> Fabricius, 1775, <i>alopercurus</i> Esper, 1790)	1♂, Lepşa-Vrancea, June 1-2, 1997, 800 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
308	4961 Ro	K. & R. 9765	<i>Apamea oblonga</i> Haworth, 1890 (sin. <i>lunulina</i> Haworth,	1♂, Săcele (Bv.), September 13, 1991, 650 m alt.	CR, TR, MT, MD	VU

			1809, <i>abjecta</i> Hübner, 1813, <i>fribulus</i> Boisduval, 1832)	1♀, Timișul de Jos (Bv.), July 8, 1991, 700 m alt.		
309	4965 Ro	K. & R. 9770	<i>Apamea anceps</i> Denis & Schiffermüller, 1775 (sin. <i>sordida</i> Borkhausen, 1792, <i>infesta</i> Ochsenheimer, 1816, <i>renardi</i> Boisduval, 1829)	1♂, Canaraua Fetii (DB), May 4, 1998, 150 m alt. 1♀, Timișul de Sus (Bv.), May 20, 1997, 750 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
310	4966 Ro	K. & R. 9771	<i>Apamea sordens</i> Hufnagel, 1766 (sin. <i>basilinea</i> Denis & Schiffermüller, 1775, <i>nebulosa</i> Vieweg, 1790)	1♂, Pasărea Forest (Buc.), May 30, 1998 1♀, Canaraua Fetii (DB), July 2, 1997, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
311	4967 Ro	K. & R. 9774	<i>Apamea scolopacina</i> Esper, 1788 (sin. <i>abbreviata</i> Haworth, 1809)	1♂, Bâneasa (Buc.), June 13, 1998, 90 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
312	4968 Ro	K. & R. 9775	<i>Apamea ophiogramma</i> Esper, 1794 (sin. <i>biloba</i> Haworth, 1809)	1♂, Tărlungeni (Bv.), July 29, 1996, 700 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
313	4972 Ro	K. & R. 9780	<i>Oligia strigilis</i> Linnaeus, 1758	1♂, Canaraua Fetii (DB), May 25, 1997, 150 m alt. 1♀, Săcele (Bv.), June 23, 1997, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
314	4973 Ro	K. & R. 9781	<i>Oligia versicolor</i> Borkhausen, 1792 (sin. <i>nerminae</i> Koçak, 1983)	2♂♂, Canaraua Fetii (DB), June 25, 1993, June 14, 1998, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
315	4974 Ro	K. & R. 9782	<i>Oligia latruncula</i> Denis & Schiffermüller, 1775 (sin. <i>aerata</i> Esper, 1790, <i>meretricula</i> Borkhausen, 1792)	2♂♂, Săcele (Bv.), June 4, 6, 1998, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
316	4983 Ro	K. & R. 9794	<i>Photedes captiuncula</i> Treitschke, 1825 (sin. <i>expolita</i> Doubleday, 1855, <i>unica</i> Freyer, 1858)	2♂♂, Jepilor Valley (Bucegi Mountains), August 1, 1993, 1700 m alt., M-tii Ciucăș, July 21, 1993, 1500 m alt.	BT, R, MM, OT, MT, MD	NT
317	4984 Ro	K. & R. 9795	<i>Photedes minima</i> Haworth, 1809 (sin. <i>arcuosa</i> Haworth, 1809)	2♂♂, Săcele (Bv.), June 2, 1994, July 6, 1996, 650 m alt.	BT, CR, TR, MM, OT, MT, MD	NT
318	4989 Ro	K. & R. 9809	<i>Luperina rubella</i> Duponchel, 1826	1♂, Hagieni (DB), September 1, 1984	BT, DB	EN
319	5001 Ro	K. & R. 9829	<i>Amphipoea fucosa</i> Freyer, 1830	1♂, Canaraua Fetii (DB), August 7, 1992, 150 m alt.	BT, CR, TR, MM, MD; DB	NT

SUBFAMILY HADENINAE (5039 RO, K. & R. 9389)

320	5043 Ro	K. & R. 9895	<i>Hadula trifolii</i> Hufnagel, 1766	7♂♂, Hagieni (DB), May 3, 1986; Rediu (Botoșani), May 5, 1988; Verona (Botoșani), July 6, 1988, Canaraua Fetii (DB), June 26, 1993, 150 m alt.; Periprava (D.D.), August 31, 1997; September 8, 9, 2000; Pasărea Forest, July 31, 1999 8♀♀, Hagieni (DB), July 3, 1992; Canaraua Fetii (DB), October 18, 1993, May 23, 1997, May 1-2, 1998, 150 m alt.; Săcele (Bv.), June 8, 1995, 650 m alt.; Periprava (D.D.), September 1, 1997, Bâneasa (DB), June 12, 1998, 150 m alt; Timișul de Jos (Bv.), August 4, 1992, 700 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
321	5051 Ro	K. & R. 9992	<i>Polia hepatica</i> Clerck, 1759	1♀, Tisitei Gorges (Vrancea Mountains), July 3, 1998, 900 m alt.	BT, CR, TR, MM, MT, MD; DB	
322	5052 Ro	K. & R. 9993	<i>Polia nebulosa</i> Hufnagel, 1766 (sin. <i>P. grandis</i> Donovan, 1801)	1♂, Tisitei Gorges (Vrancea Mountains), July 4, 1998, 900 m alt. 2♀♀, Tisitei Gorges (Vrancea Mountains), 3- July 4, 1998; July 10, 1999, 900 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
323	5060 Ro	K. & R. 9918	<i>Dianobia thalassina</i> Hufnagel, 1766	1♀, Rediu (Botoșani), June 8, 1987	BT, CR, TR, MM, OT, MT, MD; DB	
324	5061 Ro	K. & R. 9919	<i>Dianobia contigua</i> Denis & Schiffermüller, 1775	1♂, Săcele (Bv.), July 22, 1997, 650 m alt 1♀, Canaraua Fetii (DB), July 12, 1998	BT, CR, TR, MM, OT, MT, MD; DB	
325	5062 Ro	K. & R. 9920	<i>Dianobia suassa</i> Denis & Schiffermüller, 1775	7♂♂, Hagieni (DB), July 3, 1982; Frumușica (Botoșani), May 11,	BT, CR, TR, MM, OT, MT,	

				1989; Canaraua Fetii (DB), May 17, 1996, May 1, 5, 1998; Săcele (Bv.), July 30, 1996, 650 m alt.; Periprava (D.D.), July 7, 1996; Rediu (Botoșani), May 13, 1998 (2 specimens) 5♀♀, Uila Livadă, September 24, 1981; Rediu (Botoșani), May 5, 13, 1998 (2 specimens); Săcele (Bv.), August 23, 1985, 650 m alt.; Hagieni Forest, August 17-18, 2000, 40 m alt.	MD; DB	
326	5070 Ro	K. & R. 9919	<i>Malanchra persicariae</i> Linnaeus, 1761	1♂, Lepșa-Vrancea, 1- July 2, 1997, 800 m alt. 1♀, Tișitei Gorges (Vrancea Mountains), July 9, 1999, 800 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
327	5072 Ro	K. & R. 9985	<i>Ceramica pisi</i> Linnaeus, 1758	1♀, Zizin (Bv.), June 20, 1990	BT, CR, TR, MM, OT, MT, MD; DB	
328	5074 Ro	K. & R. 9989	<i>Papestra biren</i> Goeze, 1781	1♂, Daining (Germania), July 17, 1981	TR, MM, OT, MT, MD	
329	5076 Ro	K. & R. 9925	<i>Hada nana</i> Hufnagel, 1766	1♂, Turda-Tureni, May 9, 1981 1♀, Timișul de Jos (Bv.), July 1, 1993, 700 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
330	5080 Ro	K. & R. 9987	<i>Mamestraa brassicae</i> Linnaeus, 1758	5♂♂, Săcele (Bv.), September 7, 1984, August 12, 1986, September 7, 1998, 650 m alt.; Pasărea Forest (Buc.), August 7, 1998, Brănești (Buc.), August 8, 1989 5♀♀, Frumușica (Botoșani), May 20, 1989; Canaraua Fetii (DB), May 3-4, 1998, 150 m alt.; Botoșani, May 24, 1998; Săcele (Bv.), August 27, 1998, June 28, 1990, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
331	5088 Ro	K. & R. 9972	<i>Heliothis reticulata</i> Goeze, 1781	2♂♂, Tișitei Gorges (Vrancea Mountains), July 3, 1998; July 10, 1999, 900 m alt. 1♀, Tișitei Gorges (Vrancea Mountains), July 10, 1999; Racoș (Bv.), June 22, 1991	BT, CR, TR, MM, OT, MT, MD; DB	
332	5100 Ro	K. & R. 9935	<i>Luteohadena luteago</i> <i>luteago</i> , Denis & Schiffermüller, 1775	1♂, Săcele (Bv.), June 20, 1999, 650 m alt	BT, CR, TR, MM, OT, MT, MD; DB	
333	5102 Ro	K. & R. 9928	<i>Hacatera bicolorata</i> Hufnagel, 1766	1♂, C.A.Rosetti (D.D.), July 20, 1987	BT, CR, TR, MM, OT, MT, MD; DB	
334	5103 Ro	K. & R. 9927	<i>Hacatera dysodea</i> Denis & Schiffermüller, 1775	1♂, Canaraua Fetii (DB), June 13, 1997, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
335	5112 Ro	K. & R. 9928	<i>Hadena confusa</i> Denis & Schiffermüller, 1775	2♂♂, Canaraua Fetii (DB), May 18, 1996, (2 ex.), 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
336	5125 Ro	K. & R. 10062	<i>Cerapteryx graminis</i> Linnaeus, 1758	1♂, Tărlungeni (Bv.), June 26, 2000, 700 m alt. 1♀, Roșu Lake, August 2, 1979, 1300 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
337	5127 Ro	K. & R. 10064	<i>Tholera cespitis</i> Denis & Schiffermüller, 1775	1♂, Zizin (Bv.), September 5, 1980	BT, CR, TR, MM, OT, MT, MD; DB	
338	5128 Ro	K. & R. 10065	<i>Tholera decimalis</i> Poda, 1761	2♂♂, Săcele (Bv.), September 12, 1996, 650 m alt.; Șercaia (Vad Forest), September 2, 2000 1♀, Săcele (Bv.), September 12, 1996, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
339	5131 Ro	K. & R. 9999	<i>Mythimna turca</i> Linnaeus, 1761	1♂, Pasărea Forest (Buc.), May 30, 1998 1♀, Canaraua Fetii (DB), June 4, 1995, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
340	5133 Ro	K. & R. 10000	<i>Mythimna conigera</i> Denis & Schiffermüller, 1775 (sin. <i>M. floccida</i> Esper, 1788)	1♂, Timișul de Sus (Bv.), August 23, 1992, 700 m alt.	BT, CR, TR, MM, OT, MT, MD	

341	5134 Ro	K. & R. 10007	<i>Mythimna pallens</i> Linnaeus, 1758	3♂♂, Frumușica (Botoșani), June 7, 1981; Săcele (Bv.), June 4, 1997, May 11, 2000 1♀, Târgu Mureș, May 27, 1982	BT, CR, TR, MM, OT, MT, MD; DB	
342	5136 Ro	K. & R. 10005	<i>Mythimna straminea</i> Treitschke, 1825	1♂, Șercaia (Vad Forest), June 10, 2000	BT, TR, OT, MT, MD; DB	NT
343	5137 Ro	K. & R. 10003	<i>Mythimna vitellina</i> Hübner, 1808	3♂♂, Canaraua Fetii (DB), 26.V.1997, 150 m alt.; Periprava (D.D.), August 30, 1997, September 1, 1997 1♀, Periprava (D.D.), May 25, 1997	BT, CR, TR, MM, OT, MT, MD; DB	
344	5144 Ro	K. & R. 10002	<i>Mythimna albipuncta</i> Denis & Schiffermüller, 1775 (sin. <i>Hyphilare flecki</i> Cradja, 1896)	2♂♂, Timișul de Jos (Bv.), September 28, 1998, 700 m alt. 3♀♀, Pasărea Forest (Buc.), May 31, 1998; Hagieni (Bv.), August 17-18, 2000, Șercaia (Vad Forest), August 27, 2000	BT, CR, TR, MM, OT, MT, MD; DB	
345	5147 Ro	K. & R. 10022	<i>Hyphilare l-album</i> Linnaeus, 1767	3♂♂, Sângiorz-Mureș, June 10, 1985; Periprava (D.D.), August 6, 1996; Hagieni (DB), October 6, 1985 2♀♀, Canaraua Fetii (DB), June 13, 1998, 150 m alt.; Lepșa-Vrancea, July 1-2, 1997, 800 m alt., Hagieni (DB), October 4, 1981	BT, CR, TR, MM, OT, MT, MD; DB	
346	5150 Ro	K. & R. 10011	<i>Leucania comma</i> Linnaeus, 1761	2♂♂, Canaraua Fetii (DB), June 13, 14, 1998, 150 m alt	BT, CR, TR, MM, OT, MT, MD; DB	
347	5151 Ro	K. & R. 10010	<i>Leucania obsoleta</i> Hübner, 1803	1♂, Canaraua Fetii (DB), May 25, 1997, 150 m alt. 1♀, Canaraua Fetii (DB), May 4, 1998, 150 m alt.	BT, CR, TR, MM, MT, MD; DB	
348	5155 Ro	K. & R. 10034	<i>Acantholeucania loreyi</i> Duponchel, 1827	1♂, Canaraua Fetii (DB), September 17, 1993, 150 m alt.	TR, MD, DB	VU
349	5159 Ro	K. & R. 10052	<i>Panolis flammea</i> Denis & Schiffermüller, 1775	3♂♂, Teliu (Bv.), April 18, 1998, 700 m alt.; Săcele (Bv.), April 20, 1991, 650 m alt.	BT, CR, TR, MM, OT, MD; DB	VU
350	5167 Ro	K. & R. 10044	<i>Monima miniosa</i> Denis & Schiffermüller, 1775	1♂, 2♂♂, Teliu (Bv.), April 18, 1998, 700 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	NT
351	5171 Ro	K. & R. 10048	<i>Orthosia gracilis</i> Denis & Schiffermüller, 1775 (sin. <i>Cororthosia gracilis</i> Berio, 1980)	2♂♂ și 2♀♀, Teliu (Bv.), April 18, 1998, 700 m alt.	BT, CR, TR, MM, MT, MD	
352	5176 Ro	K. & R. 10050	<i>Anorthoa munda</i> Denis & Schiffermüller, 1775 (sin. <i>Anorthoa munda</i> Berio, 1980)	2♂♂, Teliu (Bv.), April 18, 1998, 700 m alt.; Săcele-Babarunca (Bv.), June 27, 1990, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
353	5168 Ro	K. & R. 10039	<i>Orthosia cruda</i> Denis & Schiffermüller, 1775 (sin. <i>Monima pulverulenta</i> Esper, 1786)	1♂, Sângiorgiu Mureș, March 30, 1992 1♀, Săcele-Babarunca (Bv.), June 27, 1990, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
354	5171 Ro	K. & R. 10048	<i>Cororthosia gracilis</i> Denis & Schiffermüller, 1775	1♂, Racoș, April 26, 1992	BT, CR, TR, MM, MT, MD;	
355	5181 Ro	K. & R. 10054	<i>Egira conspicillaris</i> Linnaeus, 1758	1♂, Teliu (Bv.), April 18, 1998, 700 m alt. 1♀, Canaraua Fetii (DB), May 4, 1998, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
356	5188 Ro	K. & R. 9557	<i>Tiliacea aurago</i> Denis & Schiffermüller, 1775, (sin. <i>rutilago</i> Fabricius, 1775, <i>fuscata</i> Esper, 1788, nec. <i>Hufnagel</i> , 1766)	1♂, Timișul de Jos, October 28, 1998, 700 m alt.	BT, CR, TR, MM, MT, MD; DB	
357	5194 Ro	K. & R. 9559	<i>Xanthia icteria</i> Hufnagel, 1766 (sin. <i>fulvago</i> auct.)	2♂♂, Canaraua Fetii (DB), October 6, 7, 1990, 150 m alt. 1♀, Uila-Livadă (Mureș); September 24, 1981	BT, CR, TR, MM, MT, MD; DB	
358	5195 Ro	K. & R. 9560	<i>Cirrhia gilvago</i> Denis & Schiffermüller, 1775 (sin. <i>palleago</i> Hübner, 1803	1♂, Canaraua Fetii (DB), October 7, 1990, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	NT
359	5196 Ro	K. & R. 9561	<i>Cirrhia ocellaris</i> (Borkhausen, 1972) sin. <i>lineago</i> Guenée, 1852	1♂, Rediu (Botoșani), October 17, 1988 1♀, Canaraua Fetii (DB), October 7, 1990, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	NT

360	5198 Ro	K. & R. 9565	<i>Agrochola lychnidis</i> (Denis & Schiffermüller, 1775) (sin. <i>pistacina</i> Denis & Schiffermüller, 1775, sin. <i>rubetra</i> Esper, 1791)	1♂, Canaraua Fetii (DB), October 1, 1994, 150 m alt. 2♀♀, Canaraua Fetii (DB), 1-September 15, 1996, October 19, 1996, 150 m alt.	BT, CR, TR, OT, MT, MD; DB	
361	5201 Ro	K. & R. 9573	<i>Agrochola nitida</i> Deni & Schiffermüller, 1775	1♂, Canaraua Fetii (DB), October 6, 1990, 150 m alt.	BT, CR, TR, OT, MT, MD; DB	
362	5203 Ro	K. & R. 9686	<i>Agrochola litura</i> Linnaeus, 1761	1♂, Canaraua Fetii (DB), October 8, 1990, 150 m alt. 1♀, Hagieni (DB). October 5, 1985	BT, CR, TR, MM, OT, MT, MD; DB	
363	5207 Ro	K. & R. 9571	<i>Leptologia macilenta</i> Hübner, 1809	2♂♂, Timișul de Jos, October 30, 1996, November 1-10, 1997, 700 m alt. 1♀, Săcele (Bv.), September 27, 1996, 650 m alt.	BT, CR, TR, MM, MT, MD; DB	
364	5209 Ro	K. & R. 9566	<i>Sunira circellaris</i> Hufnagel, 1766 (sin. <i>ferruginea</i> Denis & Schiffermüller, 1775)	2♂♂, Rediu (Botoșani), October 14, 1994, October 17, 1998 1♀, Teliu, September 17, 1994, 700 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
365	5216 Ro	K. & R. 9600	<i>Conistra (C.) vaccinii</i> Linnaeus, 1761 (sin. <i>C. spadicea</i> Denis & Schiffermüller, 1775, <i>C. polita</i> Denis & Schiffermüller, 1775)	2♂♂, Racoș (Bv.), May 1, 1993 ; Timișul de Jos, May 2, 1997, 700 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
366	5228 Ro	K. & R. 9642	<i>Brachylomia viminalis</i> Fabricius, 1777	1♂, Tișitei Gorges (Vrancea Mountains), July 4, 1998, 900 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
367	5233 Ro	K. & R. 9660	<i>Lithophane ornitopus</i> Hufnagel, 1766 (<i>L. rizolitha</i> Denis & Schiffermüller, 1775)	2♂♂, Canaraua Fetii (DB), April 15, 1993, 150 m alt.; Racoș (Bv.), September 29, 1993	BT, CR, TR, MM, OT, MT, MD; DB	
368	5235 Ro	K. & R. 9663	<i>Lithophane consocia</i> Borkhausen, 1792	1♀, Timișul de Jos (Bv.), June 1, 1997, 750 m alt.	BT, TR, MD; DB	VU
369	5242 Ro	K. & R. 9670	<i>Xylena vetusta</i> Hübner, 1808	3♀♀, Baburunca (Bv.), March 27, 1990, September 12, 1991, 650 m alt.; Timișul de Sus, May 20, 1997, 700 m alt.	BT, CR, TR, MM, OT, MT, MD	NT
370	52147 Ro	K. & R. 9596	<i>Eupsilia transversa</i> Hufnagel, 1766 (sin. <i>E. satellitia</i> Linnaeus, 1767)	1♂, Săcele (Bv.), September 6, 1998, 650 m alt. 1♀, Pasărea Forest (Buc.), June 3, 1998	BT, CR, TR, MM, OT, MT, MD; DB	
371	5257 Ro	K. & R. 9694	<i>Griposia aprilina</i> Linnaeus, 1758	1♂, Călimănești-Vâlcea, October 21, 1994	BT, CR, TR, MM, OT, MT, MD; DB	
372	5260 Ro	K. & R. 9694	<i>Dryobotes eremita</i> Fabricius, 1775 (sin. <i>D. protea</i> Denis & Schiffermüller, 1775)	1♀, Canaraua Fetii (DB), October 6, 1990, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	NT
373	5267 Ro	K. & R. 9710	<i>Ammoconia caecimacula</i> Denis & Schiffermüller, 1775	1♂, Zizin (Bv.), September 22, 1979 1♀, Canaraua Fetii (DB), April 15, 1993, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
374	5272 Ro	K. & R. 9649	<i>Phylapora lutulenta</i> Denis & Schiffermüller, 1775	1♂, Hagieni (DB), October 3, 1981	BT, CR, TR, MM, OT, MT, MD; DB	NT
375	5282 Ro	K. & R. 9726	<i>Myxinia rufocincta</i> rufocincta Geyer, 1828	1♂, Canaraua Fetii (DB), September 15, 1996, 150 m alt.	BT, TR, DB	NT
376	5288 Ro	K. & R. 9738	<i>Mniotype satula</i> Denis & Schiffermüller, 1775	1♂, Săcele (Bv.), October 8, 1996, 650 m alt.	BT, CR, TR, MM, OT, MT, MD	
377	5297 Ro	K. & R. 9636	<i>Ulochlaena hirta</i> Hübner, 1813	2♂♂, Canaraua Fetii (DB), November 15, December 10, 1991, December 1-10, 1993, 150 m alt.	BT, MT, MD; DB	VU
SUBFAMILY NOCTUINAE (5298 Ro, K. & R. 10080)						
378	5300 Ro	K. & R. 10082	<i>Axylia putris</i> Linnaeus, 1758	2♂♂, Racoș (Bv.), June 20, 1997, 500 m alt.; Brănești (Buc.), May 31, 1998 1♀, Canaraua Fetii (DB), 3- May 4, 1998, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
379	5302 Ro	K. & R. 10084	<i>Ochropleura flammatra</i> flammatra Denis &	1♂, Caraiman (M-ții Bucegi), September 26, 1994	BT, CR, TR, MM, MT, MD;	

			Schiffermüller, 1775	1♀, Hagieni (DB), September 14, 1984	DB	
380	5304 Ro	K. & R. 10086	<i>Ochropleura plecta</i> Linnaeus, 1761	2♂♂, Brănești (Buc.), May 31, 1998; Săcele (Bv.), June 6, 1998, 650 m alt. 1♀, Săcele (Bv.), June 6, 1998, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
381	5307 Ro	K. & R. 10089	<i>Diarsia mendica mendica</i> Fabricius, 1775	1♂, Roșu Lake -Cupaș, July 17, 1993, 1300 m alt.	BT, CR, TR, MM, OT, MT, MD	
382	5309 Ro	K. & R. 10092	<i>Diarsia brunnea brunnea</i> Denis & Schiffermüller, 1775	1♂, Tișitei Gorges (Vrancea Mountains), July 3, 1998, 900 m alt. 2♀♀, Tișitei Gorges (Vrancea Mountains), July 4, 1998, 900 m alt., Săcele (Bv.), July 12, 1984, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
383	5313 Ro	K. & R. 10096	<i>Noctua pronuba</i> Linnaeus, 1758 (<i>N. innuba</i> Treitschke, 1825)	1♂, Canaraua Fetii (DB), May 23, 1997, 150 m alt. 2♀♀, Săcele (Bv.), August 27, 1996, 650 m alt., Periprava (D.D.), August 31, 1997, 6 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
384	5314 Ro	K. & R. 10097	<i>Noctua orbona</i> Hufnagel, 1766	2♂♂, C.A.Rosetti (D.D.), July 12, 1991, Pasărea Forest (Buc.), August 25, 1998	BT, CR, TR, MM, OT, MT, MD; DB	
385	5317 Ro	K. & R. 10100	<i>Noctua fimbriata</i> Schreber, 1759	1♂, Canaraua Fetii (DB), June 12, 1998, 150 m alt. 1♀, Rediu (Botoșani), July 1, 1988	BT, CR, TR, MM, OT, MT, MD; DB	
386	5318 Ro	K. & R. 10102	<i>Noctua janthina</i> Denis & Schiffermüller, 1775	1♂, Periprava (D.D.), June 9, 1996, 6 m alt.		
387	5336 Ro	K. & R. 10139	<i>Rhyacia simulans</i> , Hufnagel, 1766	1♀, Maliuc (D.D.), July 18, 1997	BT, CR, TR, MM, OT, MT, MD; DB	
388	5361 Ro	K. & R. 10199	<i>Xestia c-nigrum</i> Linnaeus, 1758	7♂♂, Frumușica (Botoșani), August 6, 1989; Săcele (Bv.), 16. August 19, 1979, June 1.VI, 1989 September 21, 1996, 650 m alt.; Periprava (D.D.), September 6, 1996, August 30, 1997, 6 m alt. 5♀♀, Săcele (Bv.), May 16, 25, 1995, May 16, 1997, May 10, 12, 1998, August 20, 1998, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
389	5362 Ro	K. & R. 10200	<i>Xestia ditrapezium</i> Denis & Schiffermüller, 1775	1♀, Valea Rece, June 30, 1985	BT, CR, TR, MM, OT, MT, MD	
390	5363 Ro	K. & R. 10201	<i>Xestia triangulum</i> Hufnagel, 1766	1♂, Tișitei Gorges (Vrancea Mountains), July 3, 1998, 900 m alt. 1♀, Timișul de Jos (Bv.), July 12, 1992, 700 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
391	5364 Ro	K. & R. 10203	<i>Xestia ashworthii</i> Doubleday, 1855	1♀, Tișitei Gorges (Vrancea Mountains), July 2, 1997, 900 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
392	5366 Ro	K. & R. 10206	<i>Xestia rhomboidea</i> auct., nec (Esper, 1790)	1♀, Tișitei Gorges (Vrancea Mountains), August 22, 1981, 900 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
393	5369 Ro	K. & R. 10209	<i>Xestia ochreago</i> Hübner, 1790	1♂, Jepii Valley (Bucegi Mountains), August 11, 1994, 1600 m alt.	TR,MT	EN
394	5371 Ro	K. & R. 10212	<i>Xestia xanthographa</i> Denis & Schiffermüller, 1775	1♂, Canaraua Fetii (DB), September 10, 1994, 150 m alt. 1♀, Canaraua Fetii (DB), September 18, 1993, 150 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
395	5374 Ro	K. & R. 10218	<i>Eugrapha sigma</i> Denis & Schiffermüller, 1775	1♂, Tișitei Gorges (Vrancea Mountains), July 3, 1998, 900 m alt. 1♀, Tișitei Gorges (Vrancea Mountains), August 1, 1997, 900 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
396	5376 Ro	K. & R. 10224	<i>Cerastis rubricosa</i> Denis & Schiffermüller, 1775	2♂♂, Săcele (Bv.), April 29, 1991, 650 m alt. 1♀, Sângeorz-Mureș, April 1, 1985	BT, CR, TR, MM, OT, MT, MD; DB	
397	5377 Ro	K. & R. 10225	<i>Cerastis leucographa</i> Denis & Schiffermüller, 1775	1♀, Babarunca-Săcele (Bv.), March 27, 1990, 650 m alt.	BT, CR, TR, MM, OT, MD; DB	NT

STANCĂ-MOISE Cristina

398	5381 Ro	K. & R. 10232	<i>Anaplectoides prasina</i> Denis & Schiffermüller, 1775	1♀, Roșu Lake -Cupaș, July 28, 1978, 1300 m alt.	BT, CR, TR, MM, OT, MT, MD	
399	5385 Ro	K. & R. 10238	<i>Peridroma saucia</i> Hübner, 1808	1♂, Săcele (Bv.), August 26, 1979, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
400	5396 Ro	K. & R. 10266	<i>Euxoa aquilina</i> (Denis & Schiffermüller, 1775)	3♂♂, Frumușica (Botoșani), July 7, 1989, Periprava (D.D.), July 8, 1996, Mihai Bravu Forest (Buc.), July 12, 1997 1♀, Frumușica (Botoșani), August 1, 1989	BT, CR, TR, MM, OT, MT, MD; DB	
401	5399 Ro	K. & R. 10273	<i>Euxoa temera</i> Hübner, 1808	1♂, Hagieni (DB), September 24, 1983 1♀, Hagieni (DB), September 24, 1983	BT, CR, TR, OT, MT, MD; DB	
402	5400 Ro	K. & R. 10275	<i>Euxoa nigricans</i> Linnaeus, 1761	1♂, Maliuc (D.D.), July 19, 1997	BT, TR, MT, MD; DB	NT
403	5401 Ro	K. & R. 10278	<i>Euxoa segnialis</i> Duponchel, 1836	1♂, Periprava (D.D.), August 31, 1997, September 1, 1997, 6 m alt. 1♀, Periprava (D.D.), August 29, 1997	MD, DB	DD
404	5403 Ro	K. & R. 10279	<i>Euxoa crypta</i> Dadd, 1927	1♂, Periprava (D.D.), July 8, 1996 1♀, Periprava (D.D.), July 7, 1996, 6 m alt.	TR, DB	DD
405	5404 Ro	K. & R. 10280	<i>Euxoa tritici</i> Linnaeus, 1761, n.inv.	3♂♂, Periprava (D.D.), July 9, 1996, September 1, 1997, 6 m alt.; Maliuc (D.D.), July 19, 1997 1♀, Periprava (D.D.), July 7, 1996, 6 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
406	5405 Ro	K. & R. 10282	<i>Euxoa obelisca</i> (Denis & Schiffermüller, 1775)	1♂, Hagieni, September 15, 1984	BT, CR, TR, OT, MT, MD; DB	
407	5419 Ro	K. & R. 10334	<i>Agrotis obesa</i> Boisduval, 1829	1♂, Hagieni (DB), October 4, 1981	OT, DB	EN
408	5420 Ro	K. & R. 10336	<i>Agrotis crassa</i> Hübner, 1803	3♂♂, Frumușica (Botoșani), July 18, 1989; August 1, 14, 1989 1♀, Periprava (D.D.), August 29, 1997, 6 m alt.	BT, CR, TR, OT, MT, MD; DB	VU
409	5423 Ro	K. & R. 10346	<i>Agrotis epsilon</i> Hufnagel, 1766	4♂♂, Uila Livadă, September 24, 1981; Hagieni (DB), October 4, 1981; Teliu (Bv.), November 11, 1994; Roșu Lake -Cupaș, August 1, 1975 3♀♀, Botoșani, October 20, 1987; Timișul de Jos (Bv.), June 21, 1996; Săcele (Bv.), July 2, 1996, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
410	5425 Ro	K. & R. 10348	<i>Agrotis exclamatoris</i> Linnaeus, 1758	4♂♂, Canaraua Fetii (DB), May 23, 24, 25, 1997, 150 m alt.; Timișul de Jos (Bv), October 5, 1997, 700 m alt. 6♀♀, Săcele (Bv.), June 6, 1996, Timișul de Jos (Bv), August 17, 1997, June 7, 1998 (2 ex.) ; Lepșa (Vrancei Mountains), July 3, 1998, 500 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
411	5426 Ro	K. & R. 10350	<i>Agrotis clavis</i> Hufnagel, 1766	1♂, Lepșa (Vrancea), 1- July 2, 1997, 800 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	NT
412	5427 Ro	K. & R. 10351	<i>Agrotis segetum</i> Denis & Schiffermüller, 1775	5♂♂, Hagieni (DB), September 25, 1983, September 24, 1993; Timișul de Jos (Bv), September 16, 1987, 700 m alt.; Brănești (Buc.), August 9, 1997, Pasărea Forest (Buc.), August 7, 1998 5♀♀, Hagieni (DB), July 22, 1981; Timișul de Jos (Bv), August 12, 1996, 700 m alt., Pasărea Forest (Buc.), August 1, 1997; Brănești (Buc.), August 9, 1997; July 7, 1998	BT, CR, TR, MM, OT, MT, MD; DB	
413	5429 Ro	K. & R. 10356	<i>Arotis vestigialis</i> Hufnagel, 1766	2♂♂, Periprava (D.D.), August 30, 1997, September 1, 1997, 6 m	BT, CR, TR, MM, OT, MD;	NT

				alt 1♀, Periprava (D.D.), August 31, 1997, 6 m alt.	DB	
414	5430 Ro	K. & R. 10360	<i>Agrotis cinerea</i> Denis & Schiffermüller, 1775)	1♂, Timișul de Sus (Bv), May 10, 1997, 750 m alt.	BT, CR, TR, OT, MT, MD; DB	
FAMILY LYMANTRIIDAE (5438 RO, K. & R. 10373)						
415	5441 Ro	K. & R. 10375	<i>Limantria monacha</i> Linnaeus, 1758	1♂, Zizin (Bv.), June 13-14, 1997 1♀, Bicazului Gorges (Harghita), August 2, 1996, 1100 m alt.	BT, CR, TR, MM, OT, MT, MD	
416	5448 Ro	K. & R. 10387	<i>Calliteara pudibunda</i> Linnaeus, 1758	1♂, Zizin (Bv.), June 20, 1990	BT, CR, TR, MM, OT, MT, MD; DB	
417	5456 Ro	K. & R. 10397	<i>Orgyia antiqua</i> Linnaeus, 1758	1♂, Pasărea Forest (Buc.), August 25, 1998 1♀, Frumușica (Botoșani), May 17, 1989	BT, CR, TR, MM, OT, MT, MD; DB	
418	5459 Ro	K. & R. 10405	<i>Euproctis chrysorrhoea</i> Linnaeus, 1758	8♂♂, Hagieni (DB), 20, July 21, 1981; Rediu (Botoșani), July 13, 1987; Timișul de Jos (Bv.), 5- June 12, 1998, 700 m alt.; Periprava (D.D.), June 9, 1997, 6 m alt.; Săcele (Bv.), July 2, 1996, 650 m alt. 4♀♀, Hagieni (Botoșani), July 8, 1983; Frumușica (Botoșani), July 7, 1989; Periprava (D.D.), July 7, 1996, 6 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
419	5460 Ro	K. & R. 10406	<i>Euproctis similis</i> Fuessly, 1775	1♂, C.A.Rosetti (D.D.), June 19, 1996	BT, CR, TR, MM, OT, MT, MD; DB	
420	5462 Ro	K. & R. 10408	<i>Pentophera morio</i> Linnaeus, 1758	2♂♂, Tișetei Gorges (Vrancea Mountains), July 4, 1998, 900 m alt., Bogății Forest (Perșani Mountains), June 11, 1995, 550 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	
421	5464 Ro	K. & R. 10410	<i>Laelia coenosa</i> (Hübner, 1808)	1♂, Periprava (D.D.), August 30, 1997, 6 m alt. 2♀♀, Periprava (D.D.), July 29, 1997; September 1, 1997, 6 m alt.	BT, TR, OT, MD; DB	VU
422	5465 Ro	K. & R. 10414	<i>Leucoma salicis</i> Linnaeus, 1758	1♂, Săcele (Bv.), June 23, 1997, 650 m alt. 2♀♀, Săcele (Bv.), June 23, 1997, 650 m alt.	BT, CR, TR, MM, OT, MT, MD; DB	NT
423	5468 Ro	K. & R. 10416	<i>Arctornis l-nigrum</i> Müller, 1764	2♂♂, Brănești (Buc.), July 8, 31, 1998	BT, CR, TR, MM, OT, MT, MD; DB	NT

CONCLUSIONS

This paper contributes to the study of Lepidoptera fauna of Romania. The material was collected during 1979-2000 and could be found in the Lepidoptera collection of "Lucian Blaga" University of Sibiu. From the 572 existing species in this collection, there are presented only 211 species and 471 samples belonging to the Suprafamily Noctuoidea with six Subfamilies - Pygaerinae (36 species), Herminiinae (11 species), Acontiinae (10 species), Psaphidininae (5 species), Stiriinae (44 species), Hadeninae (58 species), Noctuinae (37 species) and the Family Lymantriidae. The list of species is updated after *Verzeichnis der Schmetterlinge Româniens* (RÁKOSY et al., 2003). There are presented the geographical areas where these species were collected from; the most important aspect is the IUCN classification of the degree of endangerment of each species. The documentary and scientific value of the Lepidoptera collection of "Lucian Blaga" University offers to those interested a valuable documentary material that can be used for systematic, faunistic and zoogeographical studies.

AKNOWLEDGEMENTS

I thank to Mr. Levente Szekely from Brașov for this small part (572 species) of his own rich collection (40,000 samples, with 2,600 species) that he sold to our institution, "Lucian Blaga" University-Sibiu. I want to present homage to Prof. univ. dr. biol. Victor Ciocchia who was the initiator of the acquisition of this collection and with whom I have worked to organised it.

REFERENCES

- CIOCHIA V. STANCĂ CRISTINA. 2000. *Catalogul colecției de lepidoptere a Universității "Lucian Blaga" din Sibiu.* Edit. Pentru Viață. Sibiu. 164 pp.
- DAVIDESCU D. 2002. Conservarea biodiversității speciilor vegetale și animale. Edit. Academiei Române. București. 214 pp.
- RAKOSY L. & SZEKELY L. 1996. *Macrolepidopterele din sudul Dobrogei (Die Makrolepidopteren der Sudobrudscha-Sudostrumanien).* Entomologica Romanica Cluj-Napoca **1**:17-62.
- RÁKOSY L. 2002. *Lista roșie pentru fluturi diurni din România. Buletinul Informativ Societatea Lepidopterologică Română.* Cluj-Napoca. **13**(1-4): 9-26.
- RÁKOSY L., GOIA M., KOVACS L. 2003. *Catalogul lepidopterelor României.* Societatea Lepidopterologică Română. Cluj-Napoca. 446 pp.
- RÁKOSY L. 2003. *Lista roșie pentru fluturi diurni din România (Rote Liste der Tagfalter Rumäniens).* Buletin de Informare Societatea Lepidopterologică Română. Cluj-Napoca. **13**(1-4): 7-18.
- RÁKOSY L. 2005. *U.E. și legislația pentru protecția lepidopterelor din România. Buletin de Informare Entomologic.* Cluj- Napoca. **16**(3-4): 89-96.
- SZÉKELY L. 1994. *Lepidopterele din zona subalpină și alpină a Munților Bucegi.* Buletin de Informare. Societatea Lepidopterologică Română. **5**(3-4): 187-200.
- SZÉKELY L. 1995. *Acițiunea schimbărilor condițiilor de mediu asupra lepidopterofaunei din România.* Buletin de Informare Societatea Lepidopterologică Română. Cluj-Napoca. **6**(1-2): 27-32.
- SZÉKELY L. 1996. *Lepidopterele (Fluturi) din sud-estul Transilvaniei (România).* Edit. Disz -Tipo Săcele. 78 pp.
- SZÉKELY L. 1999a. *Actualizarea sistematică a fluturilor diurni din România. (Lepidoptera, Rhopalocera).* Buletin de Informare. Societatea Lepidopterologică Română. Cluj-Napoca. **10**(1-4): 225-226.
- SZÉKELY L. 1999b. *Macrolepidopterele cu statut incert în lista faunistică a României (Lepidotera: Macrolepidoptera).* Buletin de Informare. Societatea Lepidopterologică Română. Cluj-Napoca. **10**(1-4): 71-78.
- SZÉKELY L. 2003a. Istorul cercetărilor lepidopterologice din sud-estul Transilvaniei. *Lucrările celei de a 6-a Conferințe Naționale pentru Protecția Mediului prin Metode și Mijloace Biologice și Biotehnice și a celei de a 3-a Conferințe Naționale de Ecosanogenează.* Edit. Pelecanus. Brașov. 318-322.
- SZÉKELY L. 2003b. Rezervația naturală „Dumbrava Vadului” Șercaia – Jud. Brașov – Trecut, prezent și viitor (partea de nevertebrate). *Program LIFE Nat -99-RO-006391.* Consiliul Județean Brașov. Edit. Graphica Print Brașov: 35-51.
- SZÉKELY L. 2006. *Fluturi din Delta Dunării - The Butterflies and moths of the Danube Delta.* Edit. Disz Tipo,Săcele. 151 pp.
- SZÉKELY L. & CERNEA E. 2007. *Catalogul colectiei de lepidoptere „Mircea Brătășeanu”- The Catalogue of „Mircea Brătășeanu” Lepidoptera collection.* Edit. Brastar-Print. Brasov. 197 pp.
- SZÉKELY L. 2008. *The Butterflies of Romania - Fluturi de zi din România.* Brastar Print. Brașov. 305 pp.
- SZÉKELY L. 2010. *Moths of Romania 1 – Fluturi de noapte din Romania 1, - Hepialidae, Limacodidae, Cossidae, Thyrididae, Lasiocampidae, Endromidae, Saturniidae, Lemoniidae, Sphingidae, Drepanidae, Thaumetopoeidae, Notodontidae, Pantheidae, Lymantriidae, Arctiidae.* Edit. Disz-Tipo. Săcele. 264 pp.
- SZÉKELY L. 2011. *Moths of Romania 2 – Fluturi de noapte din Romania 2, - Geometridae – I – Archiearinae, Ennominae, Alsophilinae, Orthostixinae, Geometrinae.* Edit. Disz-Tipo. Săcele. 196 pp.

Cristina Stancă-Moise

"Lucian Blaga" University of Sibiu, Faculty of Agricultural Sciences, Food Industry and Environmental Protection, Sibiu, Romania, str. Progresului, No. 22, Sibiu, Romania.
E-mail: cristinamoise1@yahoo.com

Received: March 31, 2015
Accepted: May 12, 2015